

Plant List for Audubon Bobcat Ranch, Yolo County,  
Prepared by Ellen Dean, UC Davis Center For Plant Diversity, January, 2016

**Key:**

\* - nonnative species; +- rare species; S - on list of species for Stebbins Cold Canyon and could be present on Bobcat Ranch; Dittes obs. - on Bobcat Ranch plant list prepared by J. Dittes; other names and numbers listed in source column represent herbarium specimens collected at Bobcat Ranch and deposited in the UC Davis Center for Plant Diversity unless otherwise specified in parentheses; common names, flowering times, and ecological information taken from the Stebbins Cold Canyon plant list and from Calflora; scientific names mostly taken from the Jepson Manual, Vascular Plants of California, 2012.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Habitat</u>	<u>Blooming in</u>	<u>Source</u>
<b><u>FERNS AND THEIR ALLIES</u></b>				
<b>BLECHNACEAE</b>	<b>Chain Fern family</b>			
<i>Woodwardia fimbriata</i>	giant chain fern	Wet places		S
<b>DRYOPTERIDACEAE</b>	<b>Wood Fern Family</b>			
<i>Dryopteris arguta</i>	wood Fern	Open, wooded slopes		S
<b>EQUISETACEAE</b>	<b>Horsetail Family</b>			
<i>Equisetum arvense</i>	common horsetail	Moist disturbed sites		S
<i>Equisetum hyemale</i> ssp. <i>affine</i>	scouring rush	Streams; moist, sandy or gravelly areas		S
<b>POLYPODIACEAE</b>	<b>Polypody Family</b>			
<i>Polypodium calirhiza</i>		Shaded canyons, streambanks		S
<b>PTERIDACEAE</b>	<b>Maidenhair Fern Family</b>			
<i>Adiantum jordanii</i>	maidenhair fern	Shaded hillsides, moist woods		Dittes obs., Zhang 4
<i>Pellaea andromedifolia</i>	coffee fern	Rocky or dry sites		Dittes obs., Zhang 5, Bower 7
<i>Pellaea mucronata</i>	bird's-food fern	Rocky or dry sites		Blevins 3
<i>Pentagramma triangularis</i>	goldenback fern	Shaded slopes or rocky sites		Dittes obs., Yip 4
<b>CONIFERS</b>				
<b>PINACEAE</b>	<b>Pine Family</b>			
<i>Pinus sabiniana</i>	gray pine	Foothill woodland, chaparral	April-May	Dittes obs.; Fuller 2

<b>FLOWERING PLANTS</b>				
<b>NON-MONOCOTYLEDONS</b>				
<b>ADOXACEAE</b>	<b>Elderberry/Muskroot Family</b>			
<i>Sambucus nigra</i> ssp. <i>caerulea</i>	blue elderberry	Streambanks	March-September	Dittes obs., Fuller 1
<b>ANACARDIACEAE</b>	<b>Sumac Family</b>			
<i>Rhus aromatica</i>	fragrant sumac	Common in canyons and creek beds, dry slopes and thickets	March-April	Dittes obs., Lindsey 7
<i>Toxicodendron diversilobum</i>	poison oak	Very abundant in low places, thickets, chaparral and woodland	April-May	Dittes, Dean obs.
<b>APIACEAE</b>	<b>Celery Family</b>			
<i>Angelica californica</i>	angelica	Dry slopes	June	S
* <i>Anthriscus caucalis</i>	bur-chervil	Disturbed areas, shady places	April-June	S
<i>Apiastrum angustifolium</i>	wild celery	Chaparral	March-April	S
* <i>Conium maculatum</i>	poison hemlock	Moist, especially disturbed, places	April-June	Dittes obs.
<i>Daucus pusillus</i>	rattlesnake weed	Rocky or sandy places	April-June	Dittes obs., Zhang 2, Dean 4839
* <i>Foeniculum vulgare</i>	fennel	Roadside	June-October	Dittes obs.
<i>Lomatium californicum</i>	California rock parsnip	Woodland, brushy slopes	April-June	Loughran 6
<i>Lomatium dasycarpum</i>	lace parsnip	Rocky chaparral, woodland	March-June	S
<i>Lomatium macrocarpum</i>	large lace parsnip	Rocky chaparral, woodland	April-June	Dittes obs.
<i>Lomatium utriculatum</i>	bladder parsnip	Open grassy slopes, meadows, woodland	February-May	Lindsey 8, Bradt 1
<i>Perideridia kelloggii</i>	Kellogg's yampah	Open grassland	July-Aug	S
<i>Sanicula bipinnata</i>	poison sanicle	Open grassland, pine-oak woodland	April-May	Dittes obs., Bower 3
<i>Sanicula bipinnatifida</i>	purple sanicle	Open grassland, pine-oak woodland	March-May	Dean 4756

<i>Sanicula crassicaulis</i>	gamble weed	Open slopes, woodlands	March-May	Dittes obs., Mosser 3
* <i>Torilis arvensis</i>	Field hedge parsley	Disturbed places	May-June	Dittes obs., Lindsey 2
* <i>Torilis nodosa</i>	knotted hedge parsley	Disturbed places	April-June	Dittes obs., Lindsey 5
<i>Yabea microcarpa</i>	California hedge parsley	Grassy slopes, chaparral, woodland	March-June	S
<b>APOCYNACEAE</b>	<b>Dogbane Family</b>			
<i>Asclepias cordifolia</i>	purple milkweed	Rocky slopes, chaparral	May-July	Dean 7010, 7012
<i>Asclepias fascicularis</i>	narrow-leaved milkweed	Dry ground	June-September	Dittes obs., Dean 7008
<b>ARISTOLOCHIACEAE</b>	<b>Pipevine Family</b>			
<i>Aristolochia californica</i>	California pipe vine	Streamsides, chaparral	Jan-April	Dittes obs., Mosser 4
<b>ASTERACEAE</b>	<b>Aster or Sunflower Family</b>			
<i>Achillea millefolium</i>	yarrow	Open, grassy areas	Mar-June	Dittes obs., Dean 4743
<i>Achyrrachaena mollis</i>	blow wives	Grassy sites	April-May	Dittes obs., Castro 1
<i>Agoseris grandiflora</i>	California dandelion	Grasslands, shrubland, woodland	May-July	Dittes obs.
<i>Agoseris heterophylla</i>	mountain dandelion	Open, grassy slopes and flats	March-May	Dittes obs., Yip 5
<i>Ancistrocarphus filagineus</i>	fishhooks	Open, sandy soils	March-May	S
* <i>Anthemis cotula</i>	mayweed	Disturbed sites	May-July	S
<i>Artemisia douglasiana</i>	mugwort	Open to shady places, often in drainages	June-October	Dittes obs., Dean 7001
<i>Baccharis pilularis</i>	coyote bush	Common on hillsides and canyons	August-December	Dittes obs., Dean 7004
<i>Baccharis salicifolia</i>	mule-fat	Canyon bottoms, moist streamsides	March-July	Dittes obs., Zhang 7
<i>Brickellia californica</i>	California brickelbush	Diverse dry habitats	August-Oct	Dean 4893
<i>Calycadenia pauciflora</i>	small-flowered calycadenia	Open, dry meadows, hillsides	July-September	S
* <i>Carduus pycnocephalus</i>	Italian thistle	Pastures, waste areas	May-July	Dittes obs., Mosser 2
* <i>Centaurea melitensis</i>	totalote	Disturbed fields, open woods	April-June	Dittes obs., Zalicka 3
* <i>Centaurea solstitialis</i>	yellow star thistle	Pastures, disturbed grassland or woodland	May-October	Dittes obs., Tuchman 2
<i>Centromadia fitchii</i>	Fitch's tarweed	Seasonally wet flats		Solomeshch s.n.

<i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i>	yellow pincushion	Open slopes, ridges	April-June	S
<i>Cirsium occidentale</i> var. <i>venustum</i>	Venus thistle	Ridgetops	June-July	S
* <i>Cirsium vulgare</i>	bull thistle	Disturbed sites	May-July	Dittes obs.
* <i>Cotula australis</i>	brass buttons	Disturbed sites	Jan-May	Solomeshch s.n.
<i>Ericameria arborescens</i>	golden fleece	Woodland, chaparral	Aug-Nov	S
* <i>Erigeron bonariensis</i>	flax-leaved horseweed	Disturbed sites	May-Aug	Dittes obs., Solomeshch s.n.
<i>Erigeron canadensis</i>	horseweed	Disturbed sites	Sep-Oct	S
<i>Erigeron foliosus</i> var. <i>hartwegii</i>	narrow-leaved daisy	Grassy or brushy slopes	May-July	S
<i>Erigeron inornatus</i>	California rayless daisy	Chaparral, rocky sites	June-Sep	S
<i>Eriophyllum lanatum</i> var. <i>achillaeoides</i>	woolly sunflower	Dry, often rocky sites	May-July	Rayas 2, Tuchman 3
<i>Eriophyllum lanatum</i> var. <i>grandiflorum</i>	Oregon sunshine	Dry, often rocky sites	May-July	Dittes obs.
<i>Eurybia radulina</i>	broad-leaved aster	Dry woods	July-Oct	Dittes obs.
<i>Euthamia occidentalis</i>	western goldenrod	Streambanks	Sep-Nov	S
<i>Gnaphalium palustre</i>	loland cudweed	Moist depressions	May-Jul	Dittes obs.
<i>Grindelia camporum</i>	Great Valley grindelia	Fields, roadsides	Aug-Sep	S
<i>Gutierrezia californica</i>	San Joaquin matchweed	Grasslands, slopes, outcrops	December	S
<i>Helenium puberulum</i>	rosilia	Edges of wet areas	May-June	Dittes obs.
<i>Helianthella californica</i>	California helianthella, perennial little sunflower	Grasslands	April-June	Dittes obs.
<i>Helianthus californicus</i>	California sunflower	Dry, rocky soils, streambanks	June-Aug	S
<i>Hemizonia congesta</i> ssp. <i>luzulifolia</i>	field tarweed	Grasslands, fallow fields	Sep-Oct	Dittes obs., Dean 4751, Solomeshch s.n.
<i>Hesperervax sparsiflora</i> var. <i>sparsiflora</i>	few flowered evax	Sandy slopes, flats, sometimes burns	April-June	Dittes 1449 (CHSC)
<i>Hieracium albiflorum</i>	white hawkweed	Dry forests	May-Aug	S
* <i>Hypochaeris glabra</i>	smooth cat's-ear	Disturbed sites	May-June	Dittes obs., Chow 6
* <i>Lactuca serriola</i>	prickly lettuce	Disturbed open areas	Sep-Oct	Dittes obs.
<i>Lagophylla minor</i>	lesser hareleaf	Grasslands	Apr-June	Wolzen 5
<i>Lagophylla ramosissima</i>	common hareleaf	Dry habitats	May-Oct	Dittes obs.
* <i>Leucanthemum vulgare</i>	ox-eye daisy	Disturbed sites	June-Aug	Dittes obs.
<i>Logfia filaginoides</i>	California filago	Bare or grassy places, drainages	March-June	Dean 8594
* <i>Logfia gallica</i>	narrow-leaved filago	Bare or grassy places	April-June	Dittes obs., Solomeshch s.n.

<i>Madia citriodora</i>	lemon scented madia	Grassy sites, valleys, foothills	March-June	Huerta 4
<i>Madia elegans</i>	common madia	Grassy sites, valleys, foothills	March-June	Dittes obs.
<i>Madia exigua</i>	threadstem madia	Grasslands, open woodlands	May-July	S
<i>Madia gracilis</i>	slender tarweed	Grasslands, woodlands	April-August	Dittes obs., Chow 3, Lindsey 3
<i>Malacothrix floccifera</i>	woolly malacothrix	Open burns, chaparral	May-June	S
* <i>Matricaria discoidea</i>	pineapple weed	Disturbed sites, footpaths, grazed land	April-August	Dittes obs., Dean 4752
<i>Micropus californicus</i>	slender cottonweed	Dry or moist, bare or grassy sites	March-June	Dittes obs., Dean 4835, Forrester 4, Solomeshch s.n.
<i>Microseris douglasii</i> ssp. <i>douglasii</i>	Douglas's silverpuffs	Grasslands	Mar-June	Blevins 2
* <i>Picris echioides</i>	bristly ox-tongue	Disturbed areas		Dittes obs., Solomeshch s.n.
<i>Pseudognaphalium californicum</i>	green cudweed	Dry open or wooded hills	Jan-July	S
<i>Pseudognaphalium beneolens</i>	fragrant everlasting	Open slopes, ridges	July-Nov	S
* <i>Pseudognaphalium luteoalbum</i>	cudweed	Open slopes	Apr-Jul	Dittes obs., Solomeshch s.n., Loughran 5
<i>Pseudognaphalium stramineum</i>	cotton-batting cudweed	Disturbed areas	Mar-Jul	Dittes obs.
<i>Psilocarphus oregonus</i>	Oregon woolly marbles	Seasonal pools	April-May	Dittes obs., Dean 4740, 4744
<i>Psilocarphus tenellus</i>	slender woollyheads	Dry slopes, generally on disturbed soil	April-June	Dean 4741, 4745, Solomeshch s.n.
<i>Rafinesquia californica</i>	California chicory	Shrubby slopes, open woods, common after fires	April-July	Zalicka 5
<i>Rigiopappus leptocladus</i>		Grassy areas or among shrubs	April-June	S
* <i>Senecio vulgaris</i>	annual groundsel	Disturbed sites	Most months	Dittes obs., Dean 4757
* <i>Silybum marianum</i>	milk thistle	Roadsides, pastures, waste areas	May-July	Dittes obs., Goodman 2
* <i>Soliva sessilis</i>	common soliva	Disturbed sites	March-June	Dittes obs., Dean 4748
* <i>Sonchus asper</i> ssp. <i>asper</i>	sow-thistle	Slightly moist waste places	Most months	Dittes obs., Dean 8597
* <i>Sonchus oleraceus</i>	common sowthistle	Slightly moist waste places	Most months	Dittes obs., Solomeshch s.n.
<i>Stephanomeria virgata</i>	twiggy wreath plant	Dry, open slopes	July-Nov	S
* <i>Taraxacum officinale</i>	common dandelion	Slightly moist waste	Most	Dittes obs.

		places	months	
<i>Uropappus lindleyi</i>	silver puffs	Grassy areas, woods, chaparral	April-June	Forrester 5
<i>Wyethia helenioides</i>	foothill mule-ears	Open grassland, shrubland	March-April	Dittes obs., Forrester 8
<i>Xanthium strumarium</i>	cocklebur	Moist areas	Jul-Oct	Dittes obs.
<b>BORAGINACEAE</b>	<b>Borage Family</b>			
<i>Amsinckia intermedia</i>	fiddleneck	Open, generally disturbed sites	March-June	Dittes obs., Dean 8590
<i>Amsinckia lycopsoides</i>	bugloss fiddleneck	Open, dry sites	April-May	Wolzen 2
<i>Amsinckia menziesii</i>	smallflower fiddleneck	Open, dry sites	April-May	Blevins 5
<i>Cryptantha flaccida</i>	flaccid cryptantha	Open, dry sites	April	Dean 8601, Huerta 5
<i>Cynoglossum grande</i>	large-leaved hound's tongue	Shaded or open sites, woodland or chaparral	March-June	Dittes obs.
<i>Emmenanthe penduliflora</i>	whispering bells	Dry, open slopes, often after burns	May-June	S
<i>Eriodictyon californicum</i>	yerba santa	Fields, woodland, chaparral	May-July	Dittes obs.
<i>Eucrypta chrysanthemifolia</i> <i>var. chrysanthemifolia</i>	common eucrypta	Chaparral, disturbed sites	March-June	Dean 4690
<i>Heliotropium curassavicum</i>	wild heliotrope	Moist areas	March-July	Dittes obs.
<i>Nemophila heterophylla</i>	vari-leaf nemophila	Partly shaded slopes, chaparral, streambanks	March-July	Dean 4717
<i>Nemophila pedunculata</i>	meadow nemophila	Grasslands, woodlands, streambanks	April-August	Dean 4714
<i>Pectocarya pusilla</i>	little pectocarya	Dry sites in grassland, woodland	April	S
<i>Phacelia imbricata</i>	imbricate phacelia	Slopes, chaparral, woodland	March-June	Sauceda 4
<i>Phacelia tanacetifolia</i>	tansy phacelia	Slopes, open areas	March-May	Dean 8608
<i>Plagiobothrys canescens</i>	valley popcorn flower	Grassland, woodlands	March-May	S
<i>Plagiobothrys fulvus</i>	fulvous popcorn flower	Grassland, woodlands	March-May	Howard 2
<i>Plagiobothrys nothofulvus</i>	popcorn flower	Grassland, woodlands	March-May	Dittes obs., Dean 8609
<i>Plagiobothrys stipitatus</i> var. <i>micranthus</i>	stalked popcorn flower	Moist depressions, pools	March-May	Dittes obs., Dean 4735
<i>Plagiobothrys tenellus</i>	small popcorn flower	Dry slopes in grassland, scrub, woodland	March-May	S

<b>BRASSICACEAE</b>	<b>Mustard Family</b>			
<i>Arabis modesta</i> ++	modest rock cress	Steep slopes, cliffs	April-May	S – rare plant
<i>Athysanus pusillus</i>	sandweed	Grassy, open slopes, rocky outcrops	March-June	S
<i>Barbarea orthoceras</i>	American wintercress	Damp meadows, streambanks, woodland	May-September	Dittes obs.
* <i>Barbarea verna</i>	early winter cress	Disturbed sites	April-May	S
* <i>Barbarea vulgaris</i>	bitter winter-cress	Disturbed sites	April-May	Fuller 5
* <i>Brassica juncea</i>	Indian mustard	Fields, disturbed sites	April	S
* <i>Brassica nigra</i>	black mustard	Fields, disturbed sites	April-June	S
* <i>Capsella bursa-pastoris</i>	shepherd's-purse	Disturbed sites	All year	Dittes obs.
<i>Cardamine californica</i>	California toothwort, milkmaids	Shaded sites, canyons, woods	February-April	S
<i>Cardamine oligosperma</i>	annual bittercress	Shady banks, creek bottoms	March-July	Dean 4711
<i>Cardamine pennsylvanica</i>	Pennsylvania bittercress	Shady banks, creek bottoms	May-June	S
<i>Caulanthus lasiophylla</i>	California mustard	Dry, open, sometimes disturbed sites	March-June	Dean 8596
* <i>Descurainia sophia</i>	tansy-mustard	Disturbed sites	May-Aug	S
* <i>Draba verna</i>	whitlow-grass	Open or disturbed sites	February-May	Dittes obs.
<i>Erysimum capitatum</i>	wallflower	Many habitats	March-July	S
* <i>Hirschfeldia incana</i>	short pod mustard	Creek bottoms, disturbed sites	May-October	Dittes obs., Saucedo 2
* <i>Hornungia procumbens</i>	prostrate hutchinsia	Saline areas, slopes	March-May	Dean 8595
* <i>Lepidium draba</i>	hoary-cress	Disturbed sites	Mar-June	S
<i>Lepidium strictum</i>	peppergrass	Disturbed sites	March-May	S
<i>Lepidium nitidum</i>	shining peppergrass	grasslands	March-May	Dittes obs., Dean 4728
* <i>Sinapis arvensis</i>	charlock	Disturbed sites	March-Oct	S
* <i>Sisymbrium altissimum</i>	tumble-mustard	Disturbed sites, fields	May-July	S
* <i>Sisymbrium officinale</i>	hedge-mustard	Disturbed sites	April-July	Bower 7
<i>Thysanocarpus curvipes</i>	lace pod	Slopes, moist meadows	March-May	Dittes obs., Yip 7
<i>Tropidocarpum gracile</i>	keel-pod	Grassy slopes, open areas	March-May	S
<b>CAMPANULACEAE</b>	<b>Bellflower Family</b>			
<i>Githopsis specularioides</i>	common blue cup	Chaparral, woodlands	April-June	S

<i>Triodanis biflora</i>	Venus looking-glass	Disturbed sites	April-June	S
<b>CAPRIFOLIACEAE</b>	<b>Honeysuckle Family</b>			
<i>Lonicera interrupta</i>	chaparral honeysuckle	Dry slopes, ridges	May-July	S
<i>Symphoricarpos mollis</i>	trailing snowberry	Ridges, slopes	April-June	Dittes obs.
<b>CARYOPHYLLACEAE</b>	<b>Pink Family</b>			
* <i>Cerastium glomeratum</i>	mouse-ear chickweed	Dry hillsides, grasslands, chaparral, disturbed sites	February-May	Dittes obs., Dean 4732
<i>Minuartia douglasii</i>	Douglas' sandwort	Rocky slopes, chaparral	April-June	S
* <i>Petrorhagia dubia</i>	pink grass	Disturbed sites, woodland savanna	May	Dittes obs., Solomeshch s.n.
* <i>Sagina apetala</i>	dwarf pearlwort	Sandy waste areas, streamsides	May	Solomeshch s.n.
* <i>Silene gallica</i>	common catchfly	Fields, disturbed sites	Feb-June	Dittes obs., Bower 5
* <i>Spergularia rubra</i>	ruby sandspur	Open disturbed areas	Apr-May	Dittes obs., Dean 4755, Solomeshch s.n
* <i>Stellaria media</i>	common chickweed	Oak woodlands, meadows, disturbed sites	March-June	Dittes obs., Mosser 7
<i>Stellaria nitens</i>	shining chickweed	Streambanks, woodlands, disturbed sites	March-June	S
<b>CHENOPODIACEAE</b>	<b>Goosefoot Family</b>			
<i>Chenopodium californicum</i>	perennial goosefoot	Open sites	Mar-June	S
<b>CISTACEAE</b>	<b>Rock-rose Family</b>			
<i>Helianthemum scoparium</i>	peak rush-rose	Rocky slopes and ridges	Mar-June	Dittes obs.
<b>CONVOLVULACEAE</b>	<b>Morning-glory Family</b>			
<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i>	western morning glory	Dry slopes, chaparral	May-June	Dean 4903
<i>Calystegia purpurata</i> ssp. <i>purpurata</i>	purple western morning glory	Chaparral	May-July	Dittes obs.
* <i>Convolvulus arvensis</i>	bindweed	Grasslands, disturbed areas	Apr-June	Dittes obs., Lindsey 9
<i>Cuscuta californica</i>	California dodder	Chaparral, grassland	May-Aug	S
<b>CORNACEAE</b>	<b>Dogwood Family</b>			
<i>Cornus glabrata</i>	brown dogwood	Moist areas	May-July	S



<b>CRASSULACEAE</b>	<b>Stonecrop Family</b>			
<i>Crassula connata</i>	sand pygmy	Open areas	Feb-May	Solomeshch s.n., Dean 8588
* <i>Crassula tillaea</i>	Mediterranean sand pygmy	Open, gravelly sites	March-April	Dean 4747, Dean 8589
<i>Dudleya cymosa</i>	canyon live-forever	Rocky outcrops	April-June	Lindsey 1
<b>CUCURBITACEAE</b>	<b>Gourd Family</b>			
<i>Marah fabacea</i>	common manroot, wild cucumber	Streamsides, shrubby and open areas	February-April	Loughran 3
<i>Marah watsonii</i>	Watson's manroot, bigroot	Shrubby sites	March-April	Dittes obs., Bower 2
<b>DATISCAEAE</b>	<b>Datisca Family</b>			
<i>Datisca glomerata</i>	Durango root	Dry stream beds	May-July	Mosser 6
<b>ERICACEAE</b>	<b>Heath Family</b>			
<i>Arbutus menziesii</i>	Pacific madrone	Oak, pine woodlands	March-May	S
<i>Arctostaphylos glandulosa</i> ssp. <i>glandulosa</i>	Eastwood manzanita	Slopes, ridges, chaparral	January-April	S
<i>Arctostaphylos manzanita</i> ssp. <i>manzanita</i>	common manzanita	Slopes, chaparral, woodland	February-April	Dittes obs., Dean 5475, Solomeshch s.n.
<b>EUPHORBIACEAE</b>	<b>Spurge Family</b>			
<i>Chamaesyce ocellata</i> ssp. <i>ocellata</i>	Contura Creek sandmat	Sandy areas	April-May	Lulow s.n.
<i>Chamaesyce serpyllifolia</i>	thyme-leaved spurge	Dry habitats	April-May	Dittes obs.
<i>Croton setiger</i>	doveweed, turkey mullein	Common in dry, open areas	May-October	Dittes obs., Solomeshch s.n.
<i>Euphorbia crenulata</i>	Chinese caps, spurge	Common in dry areas	Mar-August	S
<i>Euphorbia spathulata</i>	spurge	Occasional in open and disturbed areas	March-June	S
<b>FABACEAE</b>	<b>Pea Family</b>			
<i>Acmispon americanus</i> var. <i>americanus</i>	Spanish lotus	Chaparral, disturbed sites	June	Dittes obs., Solomeshch s.n.
<i>Acmispon brachycarpus</i>	hill lotus	Grassland, oak, pine woodland	March-June	Sanchez 4
<i>Acmispon glaber</i>	California broom, deerweed	Chaparral, roadsides	March-August	Dittes obs.

<i>Acmispon parviflorus</i>	pink-flowered lotus	Open flats, fields and slopes	March-May	Dean obs.
<i>Acmispon wrangelianus</i>	smooth hill lotus	Chaparral, disturbed sites	March-September	Dittes 1448 (CHSC), Yip 2
<i>Astragalus gambelianus</i>	Gambel's dwarf locoweed	Open, grassy sites, shrubland	March-June	Dean 8593
<i>Cercis occidentalis</i>	western redbud	Dry slopes, canyons, streamsides, chaparral	February-April	Dittes obs., Loughran 4
<i>Hoita macrostachya</i>	leather root	Streamsides, spring-moist sites	July-August	Dittes obs., Dean 7002
<i>Hosackia crassifolius</i>	buck lotus	Chaparral, pine woodland, disturbed sites	May-August	S
<i>Lathyrus vestitus</i> var. <i>vestitus</i>	Pacific peavine	Chaparral, oak woodland	April-June	Dean 7005
<i>Lupinus albifrons</i>	bush lupine	Open sand or rocks	Mar-June	Dittes obs.
<i>Lupinus bicolor</i>	miniature lupine	Open or disturbed sites	Mar-June	Dittes obs., Dean 4733
<i>Lupinus microcarpus</i> var. <i>densiflorus</i>	white-whorled lupine	Open or disturbed sites	April-June	Dittes 1442 (CHSC), Mosser 8
<i>Lupinus nanus</i>	dwarf lupine	Open or disturbed sites	April-May	Dittes obs., Dean 4900, 4726
<i>Lupinus succulentus</i>	fleshy lupine	Open or disturbed sites	Feb-May	Dittes obs., Saucedo 1
* <i>Medicago polymorpha</i>	bur clover	Disturbed sites	Mar-June	Forrester 7
* <i>Melilotus alba</i>	white sweet clover	Open, disturbed sites	May-Sep	Dittes obs.
* <i>Melilotus indica</i>	yellow sweet clover	Open, disturbed sites	April-Oct	Dittes obs., Zhang 6
<i>Pickeringia montana</i>	chaparral pea	Chaparral, open woodlands	April-May	S
<i>Rupertia physodes</i>	California tea	Woodlands	May-July	S
<i>Trifolium albopurpureum</i>	rancheria clover	Grasslands, chaparral, pine woodlands	March-April	Solomeshch s.n.
<i>Trifolium bifidum</i>	notched clover	Grasslands	March-May	Dean 4833, Chow 1, Solomeshch s.n.
* <i>Trifolium campestre</i>	hop clover	Grasslands	March-May	Dittes obs., Saucedo 6, Dean 7007
<i>Trifolium ciliolatum</i>	tree clover	Grasslands, chaparral, disturbed sites	March-May	Dittes obs., Dean 4836, Bower 1
<i>Trifolium depauperatum</i>	cowbag clover	Moist depressions, grasslands	March-April	Dittes obs., Dean 8587
* <i>Trifolium dubium</i>	little hop clover	Grasslands, disturbed sites	March-May	Dittes obs., Rayas 7
* <i>Trifolium glomeratum</i>	clustered clover	Disturbed sites	March-May	Zalicka 1
* <i>Trifolium hirtum</i>	rose clover	Disturbed sites	March-May	Dittes obs., Dean 4902, 4841
<i>Trifolium microcephalum</i>	small-headed clover	Streambanks, moist, disturbed sites	March-April	Dittes obs., Dean 4838, Chow 5, Solomeshch s.n.

<i>Trifolium microdon</i>	Valparaiso clover	Open areas	March-April	S
<i>Trifolium oliganthum</i>	few-flowered clover	Woody or shrubby slopes	April	S
* <i>Trifolium subterraneum</i>	subterranean clover	Grasslands	April	Dittes obs., Dean 4731
<i>Trifolium willdenovii</i>	tomcat clover	Disturbed, spring-moist soils	March-May	Dittes obs., Dean 4843, Yip 3
* <i>Vicia benghalensis</i>	common vetch	Disturbed sites	April-May	S
* <i>Vicia sativa</i> *	common vetch	Disturbed sites	April-May	S
* <i>Vicia villosa</i>	hairy vetch	Grasslands, disturbed	March-May	Dittes obs., Dean 4723
<b>FAGACEAE</b>	<b>Oak Family</b>			
<i>Quercus berberidifolia</i>	scrub oak	Dry slopes, chaparral	April	Dittes obs., Dean 5470
<i>Quercus douglasii</i>	blue oak	Interior foothills, woodland	March-April	Dittes obs., Solomeshch s.n
<i>Quercus lobata</i>	valley oak	Floodplains	March-April	Dittes obs., Dean 4710
<i>Quercus x morehus</i>	oracle oak	Woodland	March-April	Solomeshch s.n
<i>Quercus wislizeni</i>	interior live oak	Interior canyons, chaparral, woodland	March-April	Dittes obs., Dean 4742
<b>GARRYACEAE</b>	<b>Silk Tassel Family</b>			
<i>Garrya fremontii</i>	silk tassel	Chaparral, foothill woodland	February-March	S
<b>GERANIACEAE</b>	<b>Geranium Family</b>			
* <i>Erodium botrys</i>	long-beaked filaree	Dry, open or disturbed sites	March-May	Dittes obs.
* <i>Erodium brachycarpum</i>	shortfruit stork's bill	Dry, open or disturbed sites	February-May	Yip 1
* <i>Erodium cicutarium</i>	red-stemmed filaree	Open, disturbed sites, grassland, shrubland	February-May	Dittes obs., Forrester 6
* <i>Erodium moschatum</i>	white-stemmed filaree	Common in disturbed sites	February-May	Dittes obs.
* <i>Geranium dissectum</i>	cut-leaved geranium	Open, disturbed sites	March-May	Dittes obs., Dean 5474
* <i>Geranium molle</i>	annual cranesbill	Open to shaded disturbed sites	May-July	Dittes obs., Chow 2
<b>GROSSULARIACEAE</b>	<b>Gooseberry Family</b>			
<i>Ribes malvaceum</i>	chaparral currant	Chaparral, oak woodland	Oct-March	Dean 5472
<i>Ribes victoris</i>	Victor's gooseberry	Chaparral		S

<b>HYDRANGEACEAE</b>	<b>Hydrangea Family</b>			
<i>Whipplea modesta</i>	yerba de selva	Shaded slopes	April-June	S
<b>HYPERICACEAE</b>	<b>St. John's Wort Family</b>			
* <i>Hypericum perforatum</i>	Klamath weed	Pastures, disturbed sites	June-July	S
<i>Hypericum concinnum</i>	gold-wire	dry, shrubby slopes	May-July	S
<b>JUGLANDACEAE</b>	<b>Walnut Family</b>			
<i>Juglans hindsii</i>	black walnut	Shaded slopes, drainages	April-May	S
<b>LAMIACEAE</b>	<b>Mint Family</b>			
* <i>Lamium amplexicaule</i>	henbit	Disturbed sites, former fields or homesteads	March- August	Dittes obs.
<i>Lepechinia calycina</i>	pitcher sage	Open slopes, chaparral, woodland	April-June	Dittes obs., Dean 7003
* <i>Marrubium vulgare</i>	horehound	Disturbed sites	March-Aug	Dittes, Dean obs., Losmozo 5
<i>Monardella sheltonii</i>	Shelton's coyote mint	Rocky slopes, chaparral	June-July	Dittes obs.
<i>Monardella villosa</i> ssp. <i>villosa</i>	coyote mint	Rocky slopes, chaparral, oak woodland	June- August	Dittes 1452 (CHSC), Dean 7013
<i>Salvia columbariae</i>	chia	Dry, disturbed sites, chaparral	March- June	Dittes obs., Dean 8603
<i>Scutellaria tuberosa</i>	tuberous skullcap	Chaparral, oak woodland, common after fires	March-July	S
<i>Stachys rigida</i> var. <i>quercetorum</i>	hedge nettle	Generally moist sites, sometimes dry hillsides	July- August	Dittes obs.
<i>Trichostema lanceolatum</i>	vinegar weed	Grasslands, slopes	Jun-Sep	Dittes obs., Solomeshch s.n
<b>LAURACEAE</b>	<b>Laurel Family</b>			
<i>Umbellularia californica</i>	California bay or laurel	Shaded slopes, drainages, chaparral	December- May	Dittes obs.
<b>LYTHRACEAE</b>	<b>Loosestrife Family</b>			
* <i>Lythrum hyssopifolium</i>	hyssop loosestrife	Drying muddy areas	Apr-Jul	Dittes obs., Howard 1
<b>MALVACEAE</b>	<b>Mallow Family</b>			
* <i>Malva nicaeensis</i>	bull mallow	Disturbed sites	March-Sep	S
* <i>Malva parviflora</i>	cheeseweed	Disturbed sites	Most months	Dittes obs.
<i>Malvella leprosa</i>	alkali mallow	Disturbed sites	June-Aug	Dittes obs., Castro 2

++ <i>Sidalcea keckii</i>	Keck's checkerbloom	Grassland, open woodland	April-June	Solomeshch s.n. Rare Plant.
<b>MONTIACEAE</b>	<b>Miner's Lettuce Family</b>			
<i>Calandrinia breweri</i>	Brewer's calandrinia	Disturbed sites, burns	Mar-June	S
<i>Calandrinia ciliata</i>	red maids	Open, grassy sites	Feb-May	Dittes obs., Dean 8600
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>		Moist, often disturbed sites	March	Dittes obs., Rayas 5
<i>Claytonia perfoliata</i>	miner's lettuce	Common in grassy or disturbed sites	February-May	Dean 4898
<b>MORACEAE</b>	<b>Mulberry Family</b>			
* <i>Ficus carica</i>	edible fig	Creeks, disturbed areas	Mar-April	Dittes obs., Rayas 1
<b>MYRSINACEAE</b>	<b>Myrsine Family</b>			
* <i>Anagallis arvensis</i>	scarlet pimpernel	Disturbed areas	March-July	Dittes obs., Chow 4
<b>OLEACEAE</b>	<b>Olive Family</b>			
<i>Fraxinus dipetala</i>	flowering ash	Slopes, chaparral, oak/pine woodland	April-May	Dittes obs., Dean 4716
<b>ONAGRACEAE</b>	<b>Evening Primrose Family</b>			
<i>Camissonia contorta</i>	contorted suncups	Open slopes	April-May	Dean 8599
<i>Clarkia affinis</i>	chaparral fairyfan	Openings in chaparral	April-May	Zhang 1, Bradt 4
<i>Clarkia concinna</i>	red ribbons	Woodland	May-July	Dittes obs.
<i>Clarkia gracilis</i>	farewell to spring	Grasslands	Apr-May	Solomeshch s.n.
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	godetia	Grasslands	May-June	Dittes obs., Solomeshch s.n.
<i>Clarkia unguiculata</i>	elegant clarkia	Dry, often shaded slopes	May-June	Dittes obs.
<i>Epilobium brachycarpum</i>	annual willow-herb	Open, dry grassland, woodland, disturbed sites	June-September	Dittes obs., Solomeshch s.n.
<i>Epilobium canum</i> ssp. <i>canum</i>	California fuchsia, hummingbird trumpet	Dry, rocky sites	August-November	Dittes obs., Dean 4894
<i>Epilobium ciliatum</i>	Willowherb	Moist areas		Dittes obs.
<i>Epilobium minutum</i>	chaparral willow-herb	Open, dry disturbed sites	April-Aug	S
<i>Epilobium campestre</i>	smooth boisduvalia	Moist areas, wetlands	May-June	Solomeshch s.n.
<b>OROBANCHACEAE</b>	<b>Broomrape Family</b>			
<i>Castilleja affinis</i>	coast paintbrush	Dry places in chaparral	April-May	S

<i>Castilleja applegatei</i> ssp. <i>martinii</i>	Martin's Indian paintbrush	Dry, open scrub slopes	May-September	Zalicka 6
<i>Castilleja attenuata</i>	valley tassels	Grassland	March-May	Dittes obs., Dean 4749, Solomeshch s.n.
<i>Castilleja exserta</i>	purple owl's-clover	Open fields, grassland	March-May	S
<i>Castilleja foliolosa</i>	woolly paintbrush	Dry open, rocky areas, chaparral	March-June	Dittes obs.
<i>Orobanche bulbosa</i>	chaparral broomrape	Openings in chaparral	April-July	S
<i>Orobanche fasciculata</i>	clustered broomrape	Dry, generally bare sites	April-July	S
<i>Orobanche uniflora</i>	naked broomrape	Generally moist sites	March-May	S
<i>Pedicularis densiflora</i>	Indian warrior	Dry chaparral, oak/pine woodland	January-June	Dittes obs.
<i>Triphysaria pusilla</i>	dwarf orthocarpus	Grassland	April-May	S
<b>PAPAVERACEAE</b>	<b>Poppy Family</b>			
<i>Eschscholzia caespitosa</i>	foothill poppy	Open chaparral	Mar-June	Dean 8602
<i>Eschscholzia californica</i>	California golden poppy	Grassy, open areas	Feb-Sep	Dittes obs., Solomeshch s.n.
<b>PHRYMACEAE</b>	<b>Monkey Flower/Lopseed Family</b>			
<i>Mimulus aurantiacus</i>	bush monkey flower	Rocky slopes, disturbed sites, borders of chaparral	March-August	Dittes obs., Saucedo 5
<i>Mimulus cardinalis</i>	scarlet monkey flower	Moist to wet sites along streams	April-October	S
<i>Mimulus guttatus</i>	seepspring monkey flower	Wet places	March-August	Dittes obs., Zhang 3
<b>PLANTAGINACEAE</b>	<b>Plantain Family</b>			
<i>Antirrhinum vexillo-calyculatum</i>	wiry snapdragon	Rockslides, disturbed sites	May-November	S
<i>Callitriche marginata</i>	California water starwort	Ponds	Mar-June	Dean 4739
<i>Collinsia heterophylla</i>	Chinese houses	Common in shaded sites	Mar-June	Dittes obs., Dean 4831
<i>Collinsia sparsiflora</i>	spinster's blue-eyed Mary	Grassy, disturbed sites, chaparral	March-May	Dittes obs.
<i>Keckiella lemmonii</i>	Lemmon's penstemon	Chaparral, wooded slopes	June-August	Dean 7009
<i>Penstemon heterophyllus</i>	foothill penstemon	Grassland, chaparral	April-July	S
<i>Plantago elongata</i>	elongate plantain	Grassy slopes and flats	April	Dittes obs.

<i>Plantago erecta</i>	annual plantain	Grassy slopes and flats, open woodland	April	Dittes 1450 (CHSC), Forrester 3
* <i>Plantago lanceolata</i>	English plantain	Disturbed sites	Mar-Aug	Dittes obs.
<i>Tonella tenella</i>	small-flowered tonella	Moist shaded sites	March-May	S
<i>Veronica peregrina</i> ssp. <i>xalapensis</i>	purslane speedwell	Drying mud, ponds	April-May	Dittes obs., Dean 4736, 4753
* <i>Veronica persica</i>	Persian speedwell	Fields, disturbed sites	Feb-May	S
<b>POLEMONIACEAE</b>	<b>Phlox Family</b>			
<i>Allophyllum divaricatum</i>	pink false gilia	Chaparral, woodland, often follows fire	April-June	S
<i>Allophyllum gilioides</i>	blue false gilia	Open, damp or grassy sites	April-June	S
<i>Collomia heterophylla</i>	vari-leaf collomia	Open sites	April-June	S
<i>Gilia capitata</i>	blue-headed gilia	Open, dry slopes	May-July	Dean 8598
<i>Gilia clivorum</i>	many-stemmed gilia	Open, grassy sites	March-April	Dean 8604a, 8604b
<i>Gilia tricolor</i>	bird's eyes	Open grasslands, slopes	March-April	Solomeshch s.n.
<i>Leptosiphon androsaceus</i>	false baby stars	Open or shaded areas, chaparral, woodland	April-June	Forrester 1
<i>Leptosiphon bicolor</i>	true baby stars	Open grassland and woodland	March-June	Dean 4715, Solomeshch s.n.
<i>Leptosiphon ciliatus</i>	whisker brush	Dry open or wooded sites	March-July	Dittes obs., Bradt 3
<i>Microsteris gracilis</i>	slender phlox	Dry to moist sites	March-Aug	S
<i>Navarretia mellita</i>	honey-scented navarretia	Open sandy or gravelly sites, chaparral	July	S
<i>Navarretia nigelliformis</i>	adobe navarretia			Solomeshch s.n.
<i>Navarretia pubescens</i>	downy navarretia	Open slopes	May-July	Dittes obs., Solomeshch s.n.
<i>Navarretia viscidula</i>	sticky navarretia	Open flats near water	May-July	S
<i>Navarretia</i> (prob. <i>N. tagetina</i> )				Dittes obs.
<i>Navarretia</i> sp.				Dean 4737
<b>POLYGONACEAE</b>	<b>Buckwheat Family</b>			
<i>Chorizanthe membranacea</i>	pink spineflower	Grassland, chaparral, foothill woodland	April-July	Dittes 1451 (CHSC), Solomeshch s.n.
<i>Eriogonum dasyanthemum</i>	many-flowered buckwheat	Sand	June-October	S
<i>Eriogonum nudum</i>	naked buckwheat	Dry rocky areas	June-Nov	Dittes obs., Zalicka 7
* <i>Polygonum aviculare</i>	smartweed	Open areas, disturbed	Most months	Dittes obs.
<i>Pterostegia drymarioides</i>	woodland threadstem	Shady, moist sites	March-July	Dittes obs., Dean 4712, 4834

<i>*Rumex acetosella</i>	sheep sorrel	Moist, disturbed sites	March-August	S
<i>*Rumex crispus</i>	curly dock	Disturbed sites	Most months	Dittes obs., Dean 7014
<i>*Rumex pulcher</i>	fiddle dock	Wet areas	Apr-June	Dittes obs., Dean 4741
<i>Rumex salicifolius</i>	willow dock	Wet areas	May-June	Dittes obs., Mosser 5
<b>PORTULACACEAE</b>	<b>Purslane Family</b>			
<i>*Portulaca oleracea</i>	common purslane	Disturbed areas	July-Aug	Dittes obs.
<b>POTAMOGETONACEAE</b>	<b>Waterweed Family</b>			
<i>Potamogeton</i> sp.	Pondweed	Ponds	June-Aug	Dittes obs.
<b>PRIMULACEAE</b>	<b>Primrose Family</b>			
<i>Dodecatheon hendersonii</i>	Henderson's shooting star, sailor caps	Shady sites	February-May	Dittes obs.
<b>RANUNCULACEAE</b>	<b>Buttercup Family</b>			
<i>Clematis lasiantha</i>	virgin's bower	Hillsides, chaparral, open woodland	March-May	Dittes obs.
<i>Delphinium hesperium</i> ssp. <i>pallenscens</i>	foothill delphinium	Oak woodland	April-June	Dittes 1146 (CHSC), Wolzen 3
<i>Delphinium nudicaule</i>	Canyon delphinium	Moist wooded, rocky slopes	March-June	Lindsey 4
<i>Delphinium patens</i>	zigzag delphinium	Grassland, woodland	March-May	Dittes obs.
<i>Delphinium variegatum</i>	royal larkspur	Grassland, woodland	March-April	Losmozo 1
<i>Ranunculus aquatilis</i>	water buttercup	Streams and ponds	Feb-June	Dittes obs., Goodman 1
<i>Ranunculus hebecarpus</i>	pubescent-fruited buttercup	Shaded sites, chaparral, oak/pine woodland	March-May	Bower 4
<i>*Ranunculus muricatus</i>	spiny buttercup	Moist areas	Apr-June	Dean 4746
<i>Ranunculus occidentalis</i>	western buttercup	Flats, open woodland	March-May	Dittes obs., Dean 8591
<b>RHAMNACEAE</b>	<b>Buckthorn Family</b>			
<i>Ceanothus cuneatus</i>	buck brush	Dry slopes and fans	March-May	Dittes obs., Solomeshch s.n
<i>Ceanothus oliganthus</i> var. <i>sorediatus</i>	Jim brush	Dry, shrubby slopes	February-May	Dittes obs.
<i>Frangula californica</i>	coffeeberry	Chaparral, woodlands	May-July	Dittes obs.
<i>Rhamnus ilicifolia</i>	holly-leaf redberry	Chaparral, woodlands	Mar-April	Dittes obs., Fuller 6



<b>ROSACEAE</b>	<b>Rose Family</b>			
<i>Adenostoma fasciculatum</i>	chamise	Common on dry slopes and ridges, chaparral	May-June	Dittes obs., Saucedo 7
<i>Aphanes macrosepala</i>	lady's mantle	Seasonally moist grassland, chaparral	March-June	Solomeshch s.n.
<i>Aphanes occidentalis</i>	western lady's mantle	Seasonally moist grassland, chaparral	March-June	Dittes obs.
<i>Cercocarpus betuloides</i>	mountain mahogany	Chaparral, oak/pine woodland	March-May	Dittes obs., Dean 7011
<i>Drymocallis glandulosa</i>	sticky cinquefoil	Dry to moist sites, many habitats	May-July	Dittes obs.
<i>Heteromeles arbutifolia</i>	toyon	Chaparral, oak woodland	April-July	Dittes obs., Dean 7000
<i>Holodiscus discolor</i>	cream bush	Woodland, rocky slopes	May-Aug	Dittes obs.
<i>Prunus ilicifolia</i>	holly-leaved cherry	Canyons, slopes	Apr-May	Dittes obs.
* <i>Pyracantha</i> sp.	firethorn	Brushy slopes, woodland	Feb-June	Dittes obs.
<i>Rosa californica</i>	California wild rose	Moist sites, especially streambanks	May-August	Dittes obs.
<i>Rosa gymnocarpa</i>	wood rose	Shaded woods, shrublands	March-July	S
* <i>Rubus armeniacus</i>	himalayan blackberry	Disturbed drainages	Mar-June	Dittes obs.
<i>Rubus ursinus</i>	California blackberry	Moist shrublands, streamside	May	S
<b>RUBIACEAE</b>	<b>Madder Family</b>			
<i>Galium aparine</i>	cleavers	Grassy, partly shaded places	March-July	Dittes obs., Chow 7
<i>Galium bolanderi</i>	Bolander's bedstraw	Chaparral	May-Aug	S
* <i>Galium murale</i>	tiny bedstraw	Damp places, grassy hillsides	April-May	Dean 4732, Solomeshch s.n.
* <i>Galium parisiense</i>	wall bedstraw	Warm, dry, generally rocky soil	April-August	Dittes obs., Goodman 5a
<i>Gallium porrigens</i> var. <i>porrigens</i>	climbing bedstraw	Chaparral, woodland	Mar-July	Tuchman 4
<i>Gallium porrigens</i> var. <i>tenu</i>	climbing bedstraw	Chaparral, woodland	Mar-July	Dittes obs., Rayas 3
<b>SALICACEAE</b>	<b>Willow Family</b>			
<i>Populus fremontii</i> ssp. <i>fremontii</i>	Fremont cottonwood	Moist sites and streamside	March-April	Dittes obs., Saucedo 3
<i>Salix exigua</i>	sandbar willow	Common along streams and arroyos	March-May	Dittes obs., Loughran 2

<i>Salix laevigata</i>	red willow	Streambanks	March-May	Dittes obs., Rayas 4, Fuller 4a
<i>Salix lasiolepis</i>	arroyo willow	Common along stream banks and beds	February-April	Dittes obs., Fuller 4b
<i>Salix melanopsis</i>	dusky willow	Stream banks	March-May	S
<b>SAPINDACEAE</b>	<b>Maple/Buckeye/Soaproot Family</b>			
<i>Acer macrophyllum</i>	bigleaf maple	Along streambanks and canyon floors	April-May	S
<i>Aesculus californica</i>	California buckeye	Along drainages, sides of streams	May-June	Dittes obs., Zalicka 2
<b>SAXIFRAGACEAE</b>	<b>Saxifrage Family</b>			
<i>Lithophragma heterophyllum</i>	hill star	Shaded slopes	Mar-June	Dean 4713
<i>Micranthes californica</i>	California saxifrage	Moist, shady sites	Feb-June	S
<b>SCROPHULARIACEAE</b>	<b>Figwort Family</b>			
<i>Scrophularia californica</i>	California figwort	Common in + damp areas, chaparral	February-July	Dittes obs.
<b>SIMAROUBIACEAE</b>	<b>Quassa Family</b>			
* <i>Ailanthus altissima</i>	tree-of-heaven	Riparian or disturbed areas	June	Dittes obs.
<b>SOLANACEAE</b>	<b>Nightshade Family</b>			
* <i>Nicotiana glauca</i>	tree tobacco	Shrubland, slopes	May-June	Dittes obs., Loughran 7
<i>Solanum xanti</i>	purple nightshade	Shrubland, oak/pine woodland	February-July	Fuller 7
<i>Solanum parishii</i>	Parish's nightshade	Shrubland, oak/pine woodland	February-July	Rayas 6
<b>VALERIANACEAE</b>	<b>Valerian Family</b>			
<i>Plectritis ciliosa</i>	long-spurred plectritis	Open, partly shaded slopes	March-May	S
<i>Plectritis congesta</i> ssp. <i>brachystemon</i>	sea blush	Open, partly shaded slopes	April-May	Bower 6
<i>Plectritis macrocera</i>	white plectritis	Open, partly shaded slopes	April-May	S

<b>VERBENACEAE</b>	<b>Vervain Family</b>			
<i>Phyla nodiflora</i>	rosy lippia	Moist areas, open areas	May-Aug	Dittes obs., Huerta 2
<b>VISCAEEAE</b>	<b>Mistletoe Family</b>			
<i>Arceuthobium campylopodum</i>	gray pine dwarf mistletoe	Parasite on pines		Dittes obs., Fuller 3
<i>Phoradendron serotinum</i> ssp. <i>macrophyllum</i>	oak mistletoe	Parasite on oaks		Dittes obs.
<b>VITACEAE</b>	<b>Grape Family</b>			
<i>Vitis californica</i>	California wild grape	Stream banks, often climbing on shrubs and trees	May-June	Dittes obs., Loughran 1
<b><u>MONOCOTYLEDONS</u></b>				
<b>AGAVACEAE</b>	<b>Agave Family</b>			
<i>Chlorogalum pomeridianum</i>	soap plant	Grassland, chaparral	May-Aug	Dittes obs., Lindsey 6
<b>ALLIACEAE</b>	<b>Onion Family</b>			
<i>Allium amplexans</i>	clasping onion	Grassy slopes	March-May	Dittes obs.
<i>Allium serra</i>	wild onion	Grassy slopes	March-May	Zalicka 4
<b>CYPERACEAE</b>	<b>Sedge Family</b>			
<i>Carex barbarae</i>	Santa Barbara sedge	Streambanks	May-Aug	Dittes obs.
<i>Carex nudata</i>	torrent sedge	Streambanks	Apr-June	S
<i>Cyperus eragrostis</i>	umbrella sedge	Streambanks	May-Nov	Dittes obs., Dean 7016
<i>Eleocharis macrostachya</i>	common spikerush	Wet areas	Mar-June	Dittes obs., Dean 8613
<i>Schoenoplectus acutus</i>	hard-stemmed bulrush	Wet areas	May-June	Dittes obs.
<b>IRIDACEAE</b>	<b>Iris Family</b>			
<i>Iris macrosiphon</i>	long-tubed iris	Open to partly shaded slopes	April-May	S
<i>Sisyrinchium bellum</i>	blue-eyed grass	Open grassland, woodland	March-May	S
<b>JUNCACEAE</b>	<b>Rush Family</b>			
<i>Juncus balticus</i>	Baltic rush	Moist to dry sites sites	May-Aug	Dean obs.

<i>Juncus bufonius</i>	toad rush	Moist, open, often disturbed sites	April-September	Dittes obs., Dean 4754
<i>Juncus effusus</i>	Pacific bog-rush	Moist sites	June-Oct	Dittes obs.
<i>Juncus mexicanus</i>	Mexican rush	Moist areas	May-Aug	S
<i>Juncus patens</i>	spreading rush	Moist sites	June-July	Dittes obs., Dean 7015
<i>Juncus xiphioides</i>	sword-leaved rush	Common in moist areas	May-Oct	Dittes obs., Dean 4890
<b>LILIACEAE</b>	<b>Lily Family</b>			
<i>Calochortus amabilis</i>	golden fairy lantern	Shady or open woodland, shrubland	April-June	Forrester 2
<i>Calochortus luteus</i>	gold nuggets	Grassland, woodland	May-June	Solomeshch s.n.
<i>Calochortus splendens</i>	splendid mariposa	Grassland, chaparral	May-June	S
<i>Fritillaria affinis</i>	checker-lily	Grassland, oak scrub	Febr-May	S
<b>MELIANTHACEAE</b>	<b>False-Hellbore Family</b>			
<i>Toxicoscordion fremontii</i>	Fremont's star-lily	Grassy or wooded slopes	March-May	S
<i>Toxicoscordion</i> sp.	zigadene			Dittes obs.
<b>ORCHIDACEAE</b>	<b>Orchid Family</b>			
<i>Piperia elegans</i>	rein-orchid	Dry, open sites, scrubland	May-September	S
<b>POACEAE</b>	<b>Grass Family</b>			
* <i>Aegilops triuncialis</i>	barbed goatgrass	Disturbed grasslands	May-June	Dittes obs.
<i>Agrostis exarata</i>	Pacific bent grass	Moist open or disturbed sites	June-August	S
* <i>Aira caryophyllea</i>	hairgrass	Open or disturbed sites	April-June	Dittes obs., Dean 4898
* <i>Avena barbata</i>	slender wild oat	Disturbed sites	Mar-June	Dittes obs., Dean 4722
* <i>Avena fatua</i>	broad-leaved wild oat	Disturbed sites	April-June	Dittes obs., Huerta 1
* <i>Brachypodium distachyon</i>	purple falsebrome	Disturbed sites	April-May	Dittes obs., Dean 4896, 5473
* <i>Briza minor</i>	little quaking grass	Shaded or moist, open sites	April-June	Dittes obs., Dean 4738
<i>Bromus carinatus</i>	California brome	Open shrubland, woodland	April-August	S
* <i>Bromus caroli-henrici</i>	weedy brome	Grassland	April-May	Solomeshch s.n.
* <i>Bromus diandrus</i>	ripgut grass	Open, disturbed sites	April-June	Dittes obs., Dean 4901
* <i>Bromus hordeaceus</i>	soft chess	Open, often disturbed sites	April-July	Dittes obs., Dean 4725

<i>Bromus laevipes</i>	perennial smooth-stemmed brome	Shrubland, pine woodland	May-August	S
* <i>Bromus madritensis</i> ssp. <i>rubens</i>	red brome	Open, often disturbed sites	March-June	Dittes obs.
* <i>Bromus sterilis</i>	poverty brome	Open, often disturbed sites	April-June	Dean 4897
* <i>Briza minor</i> *	little quaking grass	Shaded or moist, open sites	April-June	Dittes obs., Dean 4738
* <i>Crypsis schoenoides</i>	swamp pricklegrass	Drying ponds	May-June	Dittes obs.
* <i>Cynodon dactylon</i>	Bermuda grass	Disturbed sites	March-May	Dittes obs., Dean 4730
* <i>Cynosurus echinatus</i>	hedgehog dogtail	Open, often disturbed sites	April-June	Dittes obs., Dean 4895
<i>Distichlis spicata</i>	saltgrass	Alkaline, salty areas	June-July	Dittes obs., Dean 5476
* <i>Elymus caput-medusae</i>	medusa head	Grassland	April-June	Dittes obs.
<i>Elymus elymoides</i>	squirrel-tail	Grassland, chaparral, woodland	May-June	Dittes obs.
<i>Elymus glaucus</i>	woodland wild rye	Grassland, chaparral, woodland	June-August	Dittes obs.
<i>Elymus trachycaulis</i>	slender wheat grass	Dry to moist open areas, woodland.	June-August	S
<i>Elymus triticoides</i>	creeping wild rye	Moist areas	Jun-Jul	Dittes obs.
* <i>Festuca bromoides</i>	brome fescue	Disturbed sites, chaparral	April-June	Dean 4729
<i>Festuca microstachys</i>	Pacific fescue	Dry hillsides, open woodlands	April-June	Solomeshch s.n., Goodman 3
* <i>Festuca myuros</i>	foxtail fescue	Common in dry, open areas	March-June	Dean 4894, 4760
* <i>Festuca perennis</i>	Italian ryegrass	Disturbed sites, abandoned fields	March-May	Dittes obs., Dean 4727
* <i>Festuca temulenta</i>	darnel	Open, often disturbed sites	April-June	S
* <i>Gastridium phleoides</i>	nit grass	Open, often disturbed sites	May-September	Dittes obs., Solomeshch s.n.
<i>Hordeum brachyantherum</i>	meadow barley	Moist grassland	May-Aug	Dittes obs.
* <i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	Mediterranean barley	Grasslands	April-June	Dittes obs., Dean 7006
* <i>Hordeum murinum</i> ssp. <i>leporinum</i>	foxtail barley	Grasslands	April-June	Dittes obs., Dean 4724
* <i>Koeleria gerardii</i>	annual junegrass	Grasslands	April-June	Solomeshch s.n., Howard 5
<i>Melica californica</i>	California melic grass	Open hillsides, oak woodland	April-May	Dittes obs., Dean 4842

<i>Melica torreyana</i>	small-flowered melic grass	Shady oak woodland and chaparral	March-June	Dittes obs., Dean 4840
* <i>Phalaris aquatica</i>	harding-grass	Disturbed pasture	May-Aug	Dittes obs., Solomeshch s.n.
* <i>Poa annua</i>	annual bluegrass	Disturbed, moist ground	Jan-July	Dittes obs., Dean 4731
* <i>Poa bulbosa</i>	bulbous bluegrass	Disturbed sites	April-July	S
<i>Poa secunda</i>	pine blue grass	Slopes, grasslands, chaparral, woodland	Apr-May	Dittes obs., Dean 4721, 5471, Solomeshch s.n.
* <i>Polypogon maritimus</i>	Mediterranean beard grass	Moist places	June	S
* <i>Polypogon monspeliensis</i>	beard grass	Moist places	April-Aug	Dittes obs.
<i>Sporobolus airoides</i>	alkali sacaton	Moist alkaline areas	May-Aug	Dittes obs.
<i>Stipa lepida</i>	foothill needlegrass	Dry slopes, chaparral, oak grassland	March-May	Dean 4899, Solomeshch s.n.
<i>Stipa pulchra</i>	purple needlegrass	Grassland, chaparral, oak woodland	March-May	Dittes obs., Dean 4837, 4720
<b>THEMIDACEAE</b>	<b>Brodiaea Family</b>			
<i>Brodiaea elegans</i>	harvest brodiaea	Grassland	May-June	Solomeshch s.n., Losmozo 2
<i>Dichelostemma capitatum</i>	blue dicks	Open woodland, scrub, grassland	March-May	Dean obs, Yip 6
<i>Dichelostemma congestum</i>	fork-toothed ookow	Grassland, slopes	May-June	Dittes obs.
<i>Dichelostemma volubile</i>	twining lily	Foothill woodland, scrub	Common	Dittes obs., Dean 4832, Mosser 1
<i>Triteleia laxa</i>	Ithurriel's spear	Grassland, woodland	March-June	Dittes obs., Dean 4830, Solomeshch s.n.
<i>Triteleia lugens</i> ++	Coast Range triplet lily	Edges of chaparral	April-May	S – rare plant
<b>TYPHACEAE</b>	<b>Cattail Family</b>			
<i>Typha domingensis</i>	southern cattail	Marsh and moist areas	June	Dittes obs.
<i>Typha sp.</i>	cattail			Dittes obs.